




Architecture Plus, Inc. • July 01, 2020 • 4:22pm • File located @ P:\2019\19-21 Foreman School District - New High School\Architecture\19-21_A1.2C.dwg • Created by: gerenna@archplusinc.net




A BULKHEAD DETAIL
SCALE: 3/4" = 1'-0"




B DETAIL @ C103 - READING ROOM
SCALE: 3/4" = 1'-0"




C DETAIL @ C108 - RECEPTION
SCALE: 3/4" = 1'-0"



D DETAIL @ C111 - VAULT
SCALE: 3/4" = 1'-0"



E DETAIL
SCALE: 3/4" = 1'-0"



F DETAIL
SCALE: 3/4" = 1'-0"


REFLECTED CEILING LEGEND

- 2x4 RECESSED MOUNTED FLUORESCENT LIGHT FIXTURE (FOR EMERGENCY LIGHTING SEE ELECTRICAL).
- FLUORESCENT STRIP LIGHT
- DECORATIVE PENDANT LIGHT FIXTURE
- STRIP FIXTURE ABOVE
- PENDANT LIGHT FIXTURE
- CEILING MOUNTED EXIT LIGHT
- WALL MOUNTED EXIT LIGHT
- WALL SCONCE
- RECESSED CAN LIGHT
- WALL MOUNTED LIGHT FIXTURE
- WALL PACKS
- SUPPLY AIR GRILL
- RETURN GRILLE
- SMALL RETURN AIR GRILL
- EXHAUST FAN
- RETURN AIR GRILL
- OUTSIDE AIR DIFFUSER
- ROUND AIR DIFFUSER
- METAL SOFFIT PANEL
- ACOUSTICAL TILE & GRID
- SUSPENDED GYPSUM BOARD CEILING
- FURDOWN
- SMOKE DETECTOR
- HORN/STROBE STATION
- PULL STATION
- OCCUPANCY SENSORS
- REMOTE FIRE ALARM PANEL
- FIRE ALARM CONTROL PANEL
- EMERGENCY LIGHTS
- CEILING ELEVATION
- ALIGN
- SOUND ATTENUATION BLANKET ABOVE CEILING

SEE ELECTRICAL & MECHANICAL SHEETS FOR ADDITIONAL INFORMATION

REFLECTED CEILING PLAN GENERAL NOTES


- ALL SPRINKLER HEADS, RECESSED LIGHTS, AND SMOKE DETECTORS SHALL BE CENTERED IN ACOUSTICAL CEILING TILES UNLESS NOTED OTHERWISE.
 - ALL SUSPENDED ACOUSTICAL CEILING TILE SHALL BE TYPE AND COLOR AS SHOWN IN THE FINISH SCHEDULE AND SPECIFICATIONS. ACT "A" IS TYPICAL WHERE ACT IS INDICATED UNLESS NOTED OTHERWISE.
 - ALL CEILING GRIDS SHALL BE CENTERED IN THE ROOM EXCEPT WHERE SPECIFICALLY NOTED OTHERWISE.
 - GYPSUM BOARD CEILINGS WHERE OCCUR SHALL BE 5/8" TYPE "X" ON SUSPENDED METAL FRAMING WITH HAT CHANNELS AT 16" O.C. UNLESS NOTED OTHERWISE.
 - MECHANICAL GRILLES AND DIFFUSERS INDICATED ON REFLECTED CEILING PLANS ARE FOR COORDINATION PURPOSES ONLY. SEE MECHANICAL DRAWINGS FOR EXACT TYPES AND QUANTITIES.
 - FIRE DAMPERS ARE REQUIRED IN ALL DUCTS WHICH PENETRATE FIRE RESISTIVE ASSEMBLIES.
 - REFER TO LS1.2 FOR ROOMS TO RECEIVE ONE-HOUR GYPSUM BOARD CEILING.
 - CEILING SUBCONTRACTOR SHALL PROVIDE BLOCKING AND TEES SURROUNDING MECHANICAL GRILLES AND DIFFUSERS.
 - PROVIDE CEILING ACCESS PANELS IN GYPSUM BOARD CEILINGS WHERE REQUIRED FOR ACCESS ABOVE THE CEILING.
 - CEILING HEIGHTS ARE AS NOTED ON THE ENLARGED REFLECTED CEILING PLANS AND ARE MEASURED FROM THE FINISH FLOOR OF THE SPACE UNLESS NOTED OTHERWISE.
 - SEE SHEET F1.1A AND F1.2B/C FOR GYPSUM BOARD FURR DOWN PAINT COLORS.
- NOTE: THESE RCP GENERAL NOTES APPLY TO ALL REFLECTED CEILING PLAN SHEETS. SEE ENLARGED RCP'S SHEETS FOR ADDITIONAL INFORMATION



2 ENLARGED CEILING PLAN
SCALE: 1/4" = 1'-0"




1 REFLECTED CEILING PLAN - AREA 'C'
SCALE: 1/8" = 1'-0"



FOREMAN SCHOOL DISTRICT NEW HIGH SCHOOL

FOREMAN, ARKANSAS



ARCHITECTURE PLUS, INC.
907 South 21st Street Fort Smith, Arkansas 72533-8395

REFLECTED CEILING PLAN - AREA 'C'

REVISIONS:

PROJECT: 19-21

DATE: 06-30-2020

A1.2C



ARCHITECTS • PLANNERS