

THE MASTER FLOOR PLAN SHOWS THE OVERALL BUILDING CONFIGURATION AND THE RELATIONSHIP OF THE SECTION PLANS WHICH FOLLOW. REFER TO LARGER SCALE PLANS AND PLAN DETAILS FOR ADDITIONAL INFORMATION AND CONSTRUCTION REQUIREMENTS. MASTER PLAN LEGENDS ALSO APPLY TO 1/8" SCALE SECTION FLOOR PLANS.

PLEASE NOTE:

- FIRE EXTINGUISHER**
F.E. 12 REF. SPEC. SECTION 10020.
F.E. 12 REF. SPEC. SECTION 10020.
F.E. 12 REF. SPEC. SECTION 10020.
- SCISSOR ELECTRICAL PANEL**
S.E.P. REF. SPEC. SECTION 10020.
S.E.P. REF. SPEC. SECTION 10020.
- PROTECTION SCREEN AS SPEC'D.**
P.S. REF. TYP. DET. TECHNOLOGY SHTS.
P.S. REF. TYP. DET. TECHNOLOGY SHTS.
- LIQUID CHALK SURFACE AS SPEC'D.**
L.C.S. REF. TYP. DET. TECHNOLOGY SHTS.
L.C.S. REF. TYP. DET. TECHNOLOGY SHTS.
- TACKBOARD AS SPEC'D.**
T.B. REF. TYP. DET. TECHNOLOGY SHTS.
T.B. REF. TYP. DET. TECHNOLOGY SHTS.
- ELECTRIC WATER COOLER**
E.W.C. REF. PLUMBING PLAN.
E.W.C. REF. PLUMBING PLAN.
- TYPICAL E.W.C. INSTALLATION**
INSTALL TWO ELECTRIC WATER COOLERS AS SPECIFIED AT EACH LOCATION (U.N.O.). MOUNT ONE (E.C. ON PLAN) AT ADA HEIGHT AND ONE AT STANDARD HEIGHT (REF. SPEC. SECTION - 01410). REFER TO MEP DRAWINGS FOR TYP. UTILITY CONNECTIONS. F. CONNECTIONS ARE OMITTED FROM MEP DRAWINGS. PROVIDE APPROPRIATE UTILITY CONNECTIONS FOR COMPLETE AND PROPER INSTALLATION TO NEAREST UTILITIES AVAILABLE (VERIFY).
- DOOR ASSEMBLY NUMBER**
D.A. REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
D.A. REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
- WINDOW ASSEMBLY NUMBER**
W.A. REF. TO SCHEDULE, SHEET A3.2 FOR DESCRIPTION.
W.A. REF. TO SCHEDULE, SHEET A3.2 FOR DESCRIPTION.
- SPECIAL OPENING NUMBER**
S.O. REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
S.O. REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
- INTERIOR ELEVATION REFERENCE**
I.E. REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
I.E. REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
- PLAN DETAIL REFERENCE**
P.D. REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
P.D. REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
- WALL SECTION REFERENCE**
A.G.X - X REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
A.G.X - X REF. TO SCHEDULE, SHEET A3.1 FOR DESCRIPTION.
- STRUCT. STEEL COLUMN**
S.S.C. REF. STRUCT. DRAWINGS.
S.S.C. REF. STRUCT. DRAWINGS.
- 1" E.I. BUILDING EXPANSION JOINT**
B.E.J. REF. TO SCHEDULE, SHEET A3.2 FOR TYPICAL DETAILS.
B.E.J. REF. TO SCHEDULE, SHEET A3.2 FOR TYPICAL DETAILS.
- REFER TO THE FOLLOWING SHEETS FOR TYPICAL ITEMS NOTED:**
METAL LOCKERS - A5.1
TYPICAL DETAILS - A5.1 & A5.2
TYP. ABBREVIATIONS - Q1.2
THE RATED ASSEMBLIES - A1.3 & A1.4
SOUND RATED ASSEMBLIES - A1.3 & A1.4
APPLY TO MASTER PLAN AND SECTION PLANS

FLOOR PLAN LEGEND AND SECTION PLANS


- REF. SH. A5.1 TYP. CONST. DETAILS FOR ADDITIONAL INFO.
- 4" MASONRY VENEER W/ C.M.U. WALL BACK**
UP. PROVIDE 2" AIR GAP @ EXT. WALLS.
REFER TO WALL SECTIONS AND EXTERIOR ELEVATIONS FOR THICKNESS, MATERIAL TYPE AND CONSTRUCTION.
- C.M.U. PARTITION. REFER TO WALL SECTION OR PLAN DIMENSIONS AND NOTES FOR THICKNESS, TYPE AND CONSTRUCTION.**
- DRYWALL PARTITION**
- CERAMIC TILE (PARTITION TYPE VARIES) REFER TO ROOM FINISH SCHED. FOR CERAMIC TILE TYPES & HTS.**
- NOTES:**
- ALL DRYWALL PARTITIONS ARE 5/8" GYP BD ON EACH SIDE OF 3-5/8" METAL STUDS UNLESS TUBE STEEL COLUMN IS BEING ENCASED, WHERE IT WOULD BE 5/8" GYP BD ON EACH SIDE OF 6" METAL STUDS.
 - THE INSIDE OF DRYWALL CHASES NEED NOT BE GYP. BD. UNLESS THAT PORTION OF THE CHASE IS PART OF A FIRE RATED ASSEMBLY.
 - NON-LOADBEARING CMU PARTITIONS ARE 8" CMU UNLESS NOTED OTHERWISE. WALL THICKNESSES NOTED ON PLANS ARE NOMINAL. REFER TO WALL SECTIONS FOR ADDITIONAL INFORMATION REGARDING THICKNESS AND MATERIALS.
 - REFER TO SOUND AND FIRE PARTITION PLAN FOR LOCATIONS OF SPECIAL PARTITIONS. REFER TO RELATED LEGEND AND TYPICAL WALL CONSTRUCTION DETAILS FOR REQUIREMENTS.
 - SEE WALL SECTIONS FOR CONSTRUCTION OF EXTERIOR WALLS.

PARTITION LEGEND

- ALL DIMENSIONS SHOWN ARE NOMINAL.
- ALL DIMENSIONS SHOWN ARE TO FACE OF GYP. BD., MASONRY, OR CONCRETE.
- SEE STRUCTURAL DRAWINGS FOR ADDITIONAL REINFORCEMENT REQUIREMENTS.
- SEE SPECIFICATIONS, AND TYP. CONSTRUCTION DETAILS (A5 SHTS.) FOR ADDITIONAL MASONRY AND DRYWALL REQUIREMENTS.
- SEE PLUMBING PLANS AND ENLARGED FLOOR PLANS (SHT. A1.19 & A1.20) FOR EXACT LOCATION OF FIXTURES.
- REFER TO DOOR AND WINDOW SCHEDULES AND DETAILS (A3 SHTS.) FOR MASONRY ROUGH OPENING SIZES.
- VERIFY ALL MASONRY OPENINGS WITH MANUFACTURERS PRODUCTS (FIRE EXT. CAB'S, ELECTRICAL PANELS, ETC.)
- REFER TO SHEETS A1.3 & A1.4 FOR SOUND AND FIRE SEPARATION PARTITION PLANS.
- REFER TO SHEETS A2.8 - A2.19 FOR REFLECTED CEILING PLANS.
- REFER TO SHEETS A2.6 & 2.7 FOR FLOOR PATTERN PLANS.

GENERAL FLOOR PLAN NOTES

- PROVIDE (3) #5 BARS AT ALL CORNERS W/ GROUT**
- PROVIDE (1) #5 BAR W/GROUT AT ALL OPENINGS 4'-4" OR LESS**
- PROVIDE (2) #5 BARS W/ GROUT AT END OF WALLS OR OPENINGS GREATER THAN 4'-4".**
- EXPANDED METAL LATH 12" LONG @ 16" O.C. VERT.**
- PROVIDE 1-#5 BAR AND FILL CELLS SOLID W/ GROUT**
- FOR TYPICAL MASONRY JOINT CONDITIONS, REFER TO SH. A5.1
- TYP. C.M.U. WALL CONDITIONS**



ADDITIONS AND RENOVATIONS TO GRAHAM HIGH SCHOOL FOR GRAHAM I.S.D. GRAHAM, TEXAS

Project:



Huckabee ARCHITECTURE ENGINEERING MANAGEMENT

Austin
Dallas
Fort Worth

4521 South Hulen, Suite 220
Fort Worth, Texas 76109
ph 817.377.2969
fx 817.377.2303

www.huckabee-inc.com

MASTER PLAN SECOND FLOOR

Job. No. 1593-02
Drawn By: JCB
Date: NOVEMBER 2, 2007
Sheet A1.2

PROJECT B Sheet of