

**NOTE: CONTRACTOR IS
EXCLUSIVELY RESPONSIBLE
FOR LOCATION OF ALL
EXISTING BURIED UTILITIES
PRIOR TO CONSTRUCTION**

**Sturgeon, MO Public Schools
Fiber Optic Cable Construction
From
High School to Elementary/
Middle School
2016**

Note:
 At HH-02,
 Cut through the sheath
 and break the shield,
 drive a 4'X5/8" copper ground rod
 and clamp the shield from both
 directions to the ground rod
 with a No.6 solid copper wire
 Use a Preformed Line Prod or similar splice case
 This is for future location purposes

Norfolk & Southern Railroad



See Sheet 4

HH-02
 Coil 100'
 Grounding HH

40+96

40+53

39+57
 W. Smith St

39+05

Gravel drive


1-1/4" Duct with 24-F cable

W. Smith St

201


See Sheet 2

**NOTE: CONTRACTOR IS
 EXCLUSIVELY RESPONSIBLE
 FOR LOCATION OF ALL
 EXISTING BURIED UTILITIES
 PRIOR TO CONSTRUCTION**




**Sturgeon, MO Public Schools
 Fiber Optic Cable Construction
 From
 High School to Elementary/
 Middle School
 2016**


Sheet 3/5




**NOTE: CONTRACTOR IS
EXCLUSIVELY RESPONSIBLE
FOR LOCATION OF ALL
EXISTING BURIED UTILITIES
PRIOR TO CONSTRUCTION**



**Sturgeon, MO Public Schools
Fiber Optic Cable Construction
From
High School to Elementary/
Middle School
2016**



**NOTE: CONTRACTOR IS
EXCLUSIVELY RESPONSIBLE
FOR LOCATION OF ALL
EXISTING BURIED UTILITIES
PRIOR TO CONSTRUCTION**



**Sturgeon, MO Public Schools
Fiber Optic Cable Construction
From
High School to Elementary/
Middle School
2016**